

100.

--	--	--	--

T. N^o 17. N. R. N^o 4. E 2nd Mo. Ind. 101.

Pls. Ws. Fractional

Range Line. Var. 5° 55' E.

North Bet. R^s N^o 4 & 5 E. T's. N^o 17. N.
on the E. Side of Sec. 36.

4.00. a Brook 7 Ws. N. W.

27.00. a " 4 " "

40.00. Ot. Sec. Cor. { Hick. 20. S. 20. W. 31.
" { Buckeye 12. N. 1. W. 32.

41.50 a Brook 150 Ws. S. W.

80.00. Sit P. Cor. of Sec^s 25 & 36.

Broken L. { Beech 15. S. 3. E. 24.
Beech. Ash & c. { " 12. N. 40. W. 29.

North On the East Side of Sec. 25.

40.00. Ot. Sec. Cor. { Beech 7. S. 1. E. 5

" { Hick. 12. N. 21. E. 25

60.05. a Sugar. 18 in^s. dia.

63.00 a Brook. 30 Ws. S. W.

80.00. Sit P. Cor. of Sec^s 24 & 25

P. Rolling Beech { Back by 28. S. 25. E. 20.
Sug. Oak & c. { Hickory 8. N. 38. W. 21.

North On the E. Side of Sec. 24.

10.55 an Ash. 30 in^s. diam.

40.00. Ot. Sec. Cor. Spruce S. 3. E. 17.

102. T. N^o 17. N. R. N^o 4. E. 2. Mo. 4th.

Hickory. 6. S. 84. W. 15.
 80.00. Sit. P. cor. of Sec. 13 & 24.
 L. & Tr. (Hick. 7. S. 17. W. 15.
 as before { Ash. 16 N. 82. W. 6.

North On the E. Side of Sec. 13.

40.00. Q. Sec. cor. { Beech. 12. S. 14. W. 36.

50.04. a Hickory 18 in^s dia. { Eng. 18. N. 31. E. 18

80.00. Sit. P. cor. of Sec. 12 & 13.

L. level Beech { Hick. 13. S. 3. W. 28.
 Oak. Hick. {
 Ength Spruce { 8. N. 61. E. 29.

Nov. 2^d. 1819. Surveyed by John
 M^o Donald. D. S.

Township Line

East- Bet. T's. N^o 16 & 17 N. R. N^o 4 E.
 on the South Side of Sec. 31.

7.20 a Hackberry. 18 in^s dia.

40.00. Q. Sec. cor. a —. 14. S. 74. W. 29.
 D^o 10. N. 64. E. 6.

48.43 in Ash. 24 in^s dia.

80.00. Sit. P. cor. of Sec. 31 & 32

T. N. 17. N. R. N. 4 E 2nd Mo. Ind. 103.

over-
Rich L. { Aug. 30. S. 23. W. 17.
" " 10. N. 83. E. 18

East. on the S. Side of Sec. 32.

24.10. a Hickory 20 in^s dia.40.00. Q^t. Sec. Cor. { Hick. 7 N. 81. W. 1961.30. an Oak 40 in^s dia. { " 10. S. 62. E. 34.80.00. Sit P. Cor. of Sec^s 32 & 33.

S. level { Oak 18. N. 34. W. 3.
Oak Sug. Bush { Bush 18. S. 34. E. 13.

East. On the S. Side of Sec. 33.

23.70. an Ash 20 in^s dia.40.00. Q^t. Sec. Cor. { Bush 30. N. 1. E. 11.43.03. an Ash 30 in^s dia. { " 10. S. 45. W. 12.80.00. Sit P. Cor. to Sec^s 33 & 34.

Rolling L. { Poplar 40. N. 44. W. 6.
Oak Sug. Bush { Sugar. 14. S. 28. E. 23.
" " {

East. On the S. Side of Sec. 34.

31.50. a Brook 10 Ws. South.

40.00. Q^t. Sec. Cor. { Bush 14. N. 84. E. 10.
~~40.00~~ { " 10. S. 82. W. 13.

44.50. a Brook 10 Ws. South.

64.00. a Brook 15 " South.

Original notes as State home
Act.

104. T. N^o 17. A. R. N^o 4. E. 2. W. S.

68.20 a Sug. 15 in^s. diam.

80.00. Sit. P. cor. of Sec^s 34 & 35.

Broken L. { Beech 18. S. 36. W. 16
 Cart. Birch. {
 Sug. 2 & 2 { " 14. N. 15. E. 22.

East. On the North Side of Sec. 35

17.50. a Beech 20 in^s. diam.

40.00. Oth Sec. cor. { Beech 14. N. 67. W. 14.
 { Cherry 14. S. 83. E. 30.

53.00. a Creek 174. Ws. South.

72.02. a Beech 18 in^s. diam.

80.00. Sit. P. cor. of Sec^s 35 & 36.

Broken L. { Beech 8. S. 88. W. 48.
 Birch. Sug. {
 2 & 2 { Sug. 24. N. 81. E. 21.

East. On the S. Side of Sec. 36.

24.25. an Ash. 30 in^s. diam.

36.01. a Creek. 10 Ws. North.

40.02. Oth Sec. cor. { Bridge 8. W. 49.

80.00. Sit. P. cor. of Sec^s 35 & 36. { Beech 30. S. 80. E. 30.
 { R. S. N. 4 & 5 Ship. N^o

17.6. Sec^s 36. 31 & 36 in. which
 are mostly { Beech 20. S. 24. W. 30.
 broken L. {
 2 & 2 { " 10. S. 25. E. 22.

108. T. N. 17. S. R. 4. C. 2. N. S. P.

North	Ret. Sec. 25 & 26.
13.30.	a B. Oak. 30 in. diam.
40.00.	Q. Sec. cor. { Ash. 12. N. 88. E. 15.
54.28.	a W. Oak. 14 in. diam. { Buck 12. S. 33. W. 27.
80.00.	Set. P. cor. to Sec. 23. 24. 25. 26.
	L. flat. Oak. { Sug. 12. S. 5. W. 45.
	Buck & c. { Buck 12. N. 6. E. 12.
East.	Ret. Sec. 24 & 25 on Random.
40.00.	Q. Sec. Post. Temp.
81.12.	Int. E. line 50 Ws. S. of Post.
West.	Corrected?
40.56.	Q. Sec. cor. { Buck 14. N. 74. E. 47.
81.12.	Sec. cor. L. end. 2. R. Buck. Oak. & c. { W. Oak. 12. S. 31. W. 40.
North	Ret. Sec. 23 & 24.
85.82.	a Buck 14. in. diam.
40.00.	Q. Sec. cor. { Ash. 10. N. 16. E. 37.
	14. S. 22. W. 30.
47.10.	a Buck 14 in. diam.
80.00.	Set. P. cor. to Sec. 13. 14. 23 & 24.

T. N. 17. N. R. N. 4. E. 2. M. Ind. 100.

		L. flat 2 nd R. Beech. Oak { Beech. 12. N. 23. E. 22 Hick. Elm { " 24. S. 55. E. 24.
East.	Bet. Sec ^s 13 & 24. on Randen	
40.00.	Temp. Q ^{ty} Sec. Post.	
81.50.	Int ^l E. line 20 Ws. S. of Post.	
West.	Corrected.	
40.75.	Q ^{ty} Sec. cor.	{ Ash 12. N. 35. E. 10. Beech 10. N. 78. W. 3
81.50.	Sec. cor. L. flat. Tim. as before.	
North	Bet. Sec ^s 13 & 14.	
27.26.	a Beech 12. in ³ diam.	
40.00.	Q ^{ty} Sec. cor. Sq. 10. N. 3. W. 15.	
	Beech 14. S. 13. W. 7.	
69.20.	a Beech. 12 in ³ diam.	
80.00.	Set. P. cor. of Sec ^s 11. 12. 13 & 14.	
	L. flat 2 nd R.	{ Beech 10. N. 26. E. 16. Timber similar { " 12. S. 2. E. 26. as before
East	Bet. Sec ^s 12 & 13. on Randen	
40.00	Temp. Q ^{ty} Sec. Post.	

110. T. N. 17. N. R. 17. 4. 6. 2. 1. 1. 1.

81.60. Int. E. line 30 Ws. S. of Post.

West. Corrected (Bech 14. S. 18. E. 13.

40.80. Q. Sec. Cor. { Bch 36. S. 47. W. 13.

81.60. Sec. Cor. Land flat 2. Rate.

North. Bet. Sec. 34 & 35.

12.32. a W. Oak. 36 in. diam.

34.10. a Spring Branch S. W.

40.00. Q. Sec. Cor. { Bch 4. N. 38. W. 7.

54.90. an Ash 54 in. diam.

80.00. Set P. Cor. of Sec. 26. 27. 34 & 35.

L. 2-in. same { Lynn 18. S. 48. E. 4.
with Oak { W. Oak 18. S. 54. W. 40.

East. Bet. Sec. 26 & 35 on Ransom.

40.00. Imp. Q. Sec. Post.

45.15. Int. E. line 18 Ws. S. of P.

In this Place an Out has been
missed in the correction line, which
gave me a great deal of trouble.
I am & measured my own

T. N. 17. N. R. 14. E. 2. M. Int. 111.

line over again & then had to go back on the correction line & found it 5 chains too short in this Mile.

West. Corrected Bet. Sec. 26 & 35.
37.57 1/2 Q. Sec. Cor. Beech 8. S. 5. W. 19.
Ash. 14. N. 60. W. 23.
75.15 Sec. Cor. L. 2^d R. Beech 2 - c.

North. Bet. Sec. 26 & 27.
3.63. a W. Oak 50 in³ dia.
11.57. a Stream 5 Ws. S. W.
40.00. Set Q. Sec. P. Beech 12. N. 73. E. 35.
Ash. 3. S. 73. W. 20.
51.20. ^{an} Ash 18 in³ diam.
80.00. Set P. Cor. of Sec. 22. 23. 26. & 27.
L. 2^d R. Oak } Dogwood 4. N. 54 W. 10
Ash. Beech }
Syc. & flat. } Ash. 14. S. 52. E. 15.

East. Bet. Sec. 23. & 26 on Random.
40.00. Temp. Q. Sec. Post.

112. T. N. 17. N. R. N. 4 E. 2nd W. Int.

75.00. Int. E. line at Post.

West. Corrected.

37.50. Q^t. Sec. cor. Ash. 14. S. 60. W. 10.
Beech 12. N. 61. E. 28.

75.00. Sec. cor. S. level 2nd R. at.

North Bet. Sec. 22 & 23.

12.96. a Beech 12 in^s diam.

40.00. Q^t. Sec. cor. { Ash. 12. N. 74. E. 7.
Beech 12. N. 69. W. 12.

63.34. a Beech 14 in^s diam.

80.00. Set P. cor. of Sec. 14. 15. 22 & 23.

S. level & { Ash. 18. N. 50. E. 23.

2nd R. { Beech 18. N. 36. E. 21.

East Bet. Sec. 14 & 23 on Random.

40.00. Temp. Q^t. Sec. Post.

74.80. Int. E. line 18 Ws. N. of P.

West. Corrected

37.40. Q^t. Sec. cor. { Beech 12. N. 28. E. 28
" 24 N. 68. W. 26.

74.80. Sec. cor. S. at 2nd R.

T. N^o 17. N. R. N^o 4. C. 2nd. M. Pr. 113.North Bet. Sec^s 14 & 15.16.15. a Pop. 30 in^s diam.

33.50. a Stream 5 Wks. West.

40.00. Q^t. Sec. cor. Beech 12. N. 28. W. 28

" 12. S. 15. E. 15.

54.75. an Ash 20. in^s diam.80.00. Bet. P. cor. of Sec^s 10. 11. 14. & 15

L. level (Beech 10. N. 10. W. 24.

E. Rate } " 14. S. 25. W. 11.

East Bet. Sec^s 11 & 14. on Random.

14.50. a Stream 5 Wks. N. W.

40.00. Temp. Q^t. Sec. Post.

74.90. Cont. E. line 5 Wks. N. of Post.

West Corrected:

37.45. Q^t. Sec. cor. { Beech. 8. S. 66. E. 23.

74.90. Sec. cor. { Buckeye 4 N. 71. W. 16.

L. level E. R. Beech. Oak. Ash.

North Bet. Sec^s 33 & 34.8.50. an Ash 14. in^s diam.40.00. Q^t. Sec. cor. { Beech 12. S. 40. E. 23.

" 12. S. 31. W. 10.

114. T. N^o 17. A. R. N^o 4. C. 2nd M. Ind.

63.89 a Beech 10 in. diam.
30.06. Set P. bor. of Sec. 27, 28, 33 & 34.
2. A. Beech, 4. Locust (Beech 14. N. 6. W. 14.
2. A. Beech, 4. Locust (Eng. 10. N. 24. E. 4.
2. A. Beech, 4. Locust

East.	Bel. Sec. ^s 27 & 34 on Random
40.00.	Twp. Q. & Sec. Post.
80.43.	Int. E. line 17. Lks. S. of C.

West. corrected.
40.31 1/2. Sec. cor. (Bech 14. N. 41. E. 17.
80.43. Sec. cor. L. 2. " R. Bech. Oak. Sing. 2. c.

North	Oct. Sec. 27 & 28.
23.69.	a Hickory 10. in ^s diam.
40.00.	Q ^{ty} Sec. Cor. Beech 12. N. 71. E. 9.
	12. S. 24. W. 24.

48.50.	an Ash. 14 in \varnothing dia.
34.00.	a Stream 10 Mls. N. W.
80.00.	Det. P. box of Rec ^d . 21. 22. 24 & 28. <div style="display: flex; justify-content: space-between;"> <div style="text-align: center;"> L. 2 & 3. 1000. 1000. </div> <div style="text-align: center;"> (Beech 12. N. 20. W. 14. Hick. 12. N. 26. E. 27. </div> </div>

2.54

115

116. T. N. 17. S. R. N. 4. E. 2. N. 1.

East. On Random bet. Sec. 22 & 27.
 10.40. a Stream 5 Ws. S. W.
 40.00. Temp. O. Sec. Post.
 80.30. Int. E. line 5 Ws. S. of P.

West. corrected bet. Sec. 22 & 27.
 40.15. O. Sec. cor. Eng. 20. S. 86. E. 27.
 Lym 7. S. 76. W. 25.
 80.30. Sec. cor. L. 2. R. Bush. Oak. & c.

North. Bet. Sec. 21 & 22.
 13.57. a Beech 16 in³ diam.
 40.00. O. Sec. cor. Beech 8. S. 56. E. 6.
 18.0. 48. W. 30.
 65.22. a Beech 10 in² diam.
 80.00. Set P. cor. of Sec. 15. 16. 21 & 22.
 L. 2. R. Bush (Beech 7. N. 16. W. 6.
 Oak. Eng. & c. } 8. S. 1. W. 9.

East. Bet. Sec. 15 & 22 on Random
 40.00. Temp. O. Sec. Post.
 80.20. Int. E. line 10 Ws. S. of Post.

T. N. 17. N. R. N. 4. E. 2. M. Ind. 117.

West. Corrected.
40.10. Q. Sec. cor. Sing. 7. N. 9. E. 12.
Beech 12. P. 44. E. 10.
88.20. Sec. cor. L. flat. 2^d Rate.

North. Bet. Sec. 15 & 16.
3.00. a. Arcam 5 Ws. S. W.
13.71. a Beech 12 in^d diam.
40.10. Q. Sec. cor. Sing. 12. N. 8. E. 14.
Beech 4. P. 29. E. 10.

44.00. a. Arcam 10 Ws. West.
80.00. Bet. P. cor. to Sec. 9. 10. 15 & 16.
P. 2^d R. (Beech 12. N. 73. E. 20
Beech. Oak } Hornbeam 4. N. 40. W. 30.

East. Bet. Sec. 10 & 15. on Random.
3.75. a. Arcam 10 Ws. S. W.
40.10. Temp. W. Sec. Post.
80.30. Ind. E. line at Post.

West. Corrected.
40.15. Q. Sec. cor. (Beech 20. N. 73. E. 22.
" 12. P. 51. W. 15.

118. T. N^o 17. N. R. N^o 4 E. 2^d M. Int.

80.30. Sec. bor. L. 2^d R.

North. Bet. Sec^s 32 & 33.

9.50. am Ash. 12 in^s diam.

40.00. Q^t. Sec. bor. Beech 12. N. 53. E. 30.

" 10. S. 63. W. 27.

57.50. a Hickory 12 in^s diam.

90.00. Set P. bor. of Sec^s 28. 29. 32 & 33.

2^d R. (Beech 12. N. 50. E. 27.
Hick. 12. S. 78. W. 28.
Spruce. Ash. 12. W. 74.
Buck. 10. S. 11.

East. Bet. Sec^s 28 & 33 on Random.

40.00. Temp. Q^t. Sec. Post.

80.60. Int^d E. line 133 Ws. S. of P.

West. Corrected

40.30. Q^t. Sec. bor. Beech 10. N. 70. W. 15.

" 12. N. 87. E. 17.

80.60. Int^d E. line 133 Ws. S. of P.

North. Bet. Sec^s 28 & 29.

11.84. a Hickory 12 in^s diam.

40.00. Q^t. Sec. bor. Beech 10. N. 59. E. 4.

5th T. N. 1st R. N. 4 + 2nd N. 119.

		Ash. 12. S. 22. W. 9.
45.00.	an Ash 20 in ³ diam.	
18.00.	a Stream 5 Wks. West.	
55.00.	a Sing. 18 in ³ diam.	
80.00.	Set P. cor. of Sec ³ 20, 21, 28, & 29.	
	L. & R. { Beech 20. S. 58. E. 4.	
	Beech. Sing. { " 10. S. 45. W. 15.	
	2 nd h. 9. 2.	
East.	Set. Sec ³ 21 & 28 on Hamilton	
140.00.	Temp. Q ^{ty} Sec. Post.	
80.00.	Set. E. line 90 Wks. S. of P.	
West.	corrected	
40.30.	Q ^{ty} Sec. cor. { Beech 18. N. 35. E. 8.	
80.60	Sec. cor. L. 2 nd Rate. { Hick. 12. S. 25. E. 35.	
North.	Set. Sec ³ 20 & 21.	
11.62.	a Beech 14 in ³ diam.	
40.00.	Q ^{ty} Sec. cor. { Beech 6. N. 33. W. 16.	
	{ " 4. N. 48. E. 18.	
65.40.	an Ash 16 in ³ diam.	
80.00.	Set. P. cor. to Sec ³ 16, 17, 20 & 21.	

T. N^o 17. N. R. N^o 4. C. 2nd M. L. 121.

East. Bet. Sec^s 2 & 16. on Random.
40.00. Temp. Q^{ty} Sec. Post.

57.20. The River. Sugar 20. C. 8.
" 17. S. 17. C. 28.

55.30. The River opp.
Box Elder. 12. East. 7.
Hackberry 6. N. 9. W. 24.

60.30. Cont. E. line at Post.

West corrected.

40.15. Q^{ty} Sec. cor. Bush 14. N. 88. W. 36.
" 14. N. 65. E. 20.

20.30. Sec. cor. 1st 1/2 M. 2nd R. last 1st
R. Eng. Hackby. Buckeye & 2.

North Bet. Sec^s 31 & 32.

18.40. a Beech 20. in³ diam.

40.50 Q^{ty} Sec. cor. Hackby. 14. N. 72. E. 9.
Sugar. H. S. 30. C. 10.

58.77 in Ash 24 in³ diam.

80.00. 2nd 1st cor. of Sec^s 20. 30. 31 & 32.

122. T. N. 17. N. R. N. 4. C. 2. M. 11.

L. 1st R. Walnut } Ash 8. N. 81. E. 13.
Buckeye. } B. Oak. 20. S. 26. W. 31.

East. Bet. Sec. 29 & 32 on Random.
40.00. Temp. C. Sec. Post.
80.68. Int. P. E. line 45 Ws. N. of P.

West. Corrected.
40.34. C. Sec. Cor. Sug. 6. N. 33. W. 21.
" 10. S. 24. E. 13.
80.68. Sec. Cor. L. 2nd R. Beech & c.

West. Bet. Sec. 30 & 31.
40.00. C. Sec. Cor. Hick. 10. S. 83. W. 3.
Hickby. 6. N. 70. E. 25.
80.50. Int. P. W. line at Post.
L. 2nd R. Beech, Oak, Hick. & c.

North Bet. Sec. 29 & 30.
27.00. a Spring Branch S. W.
33.53. a W. Oak. 18. in^d dia.
40.00. C. Sec. Cor. A. L. 20. N. 19. E. 21.

T. 4th 17. N. R. A. 4. E. 2nd N. 123.

	Ash. 20. S. 78. W. 28.
58.12.	a Hickory — in ^d . diam.
93.00.	2 nd Sec. 1 st Cor. to Sec ³ 19, 20, 29 & 30.
	S. flat Aug. 24. N. 33. W. 24.
	2 nd R. (Beech 4. S. 15. E. 20.
East.	2 nd Sec. 20 & 29 on Random.
40.00.	Temp. Q ^{ty} Sec. Post.
51.00.	Int ^d . E. line 75 Ws. N. of R.
West.	corrected:
40.50.	Q ^{ty} Sec. Cor. Beech 14. S. 62. E. 27.
	Aug. 30 N. 28. W. 26.
81.00.	Sec. Cor. 1 st R. Ash, Elm, Wal. Hackb.
West.	2 nd Sec. 19 & 30.
36.50.	The River. Boy & Cor 10. S. 4. E. 4.
	Hackb. 6. N. 40. W. 4.
40.00.	Q ^{ty} Sec. Cor. in River.
	Elm 10. S. 32. E. 61.
	Ash 20. N. 83. E. 73.
40.64.	The River opp. Side.

124. Sec^o 17. N. R. N^o 4. E. 2^o B. Sec.

Elm 10. N. 32. E. 8.

Ash 20. S. 45. W. 12.

80.40. Cont^o W. Line at P. L. 1st Rate.
Wal. Ash. & c.

North Bet. Sec^o 19 & 20

16.62 a B. Wal. 30 in^o dia.

40.00. Q^o Sec. cor. B. Wal. 5. N. 30. W. 5.

Hackby 4. S. 4. E. 4.

47.16. The River W. Oak. 14. North 2.

Buck 6. S. 15. W. 3.

51.56. The River opp. Side.

Red Bnd. 6. N. 65. W. 12.

Hackby. 12. N. 29. W. 23.

80.00. Set P. cor. of Sec^o 17. 18. 19 & 20.

Ash m. 1st R. (Beech 20. S. 7. E. 27.

Buckeye. Ash. { " 5. N. 85. E. 19.

Walnut, & c.

East. Bet. Sec^o 17 & 20. on Random.

15.70. The River. Buck 14. S. 31. E. 12.

Buckeye 12. N. 36. W. 24.

21.00. The River opp. Side.

Ash 7. S. 57. E. 10.

T. N^o 17. N. R. N^o 4. E. 2^d M. S. 125.

		Box Elder. 14. N. 22. E. 33.
50.50.	The River. Hackby. 14. N. 55. W. 9.	Buckeye. 9. N. 35. W. 10.
55.50	The River opp. Side.	Ash. 6. N. 10. W. 23.
		Buckeye 6. N. 86. E. 6.
70.30.	The River. Ash 10. N. 54. W. 3.	Buckeye 10. N. 44. E. 10.
74.00.	River opp. Side. Sycamore 20. S. 50. E. 10.	" 12. N. 17. W. 6.
81.25.	Int ^d E. line. 20 Ws. N. of P.	P. 1 st R. Sec. Buck. Hackby.
		Buckeye. Sycamore & "
West.	Corrected bit. Sec ^s 17 & 20.	
40.32 1/2	Q ^d Sec. Cor. Hackby. 20. N. 19. W. 4.	Walnut 4. N. 72. E. 33.
83.25.	Sec. Cor.	
West.	Bot. Sec ^s 18 & 19.	
40.00.	Q ^d Sec. Cor. Buck 12. N. 74. W. 10.	Hick. 7. S. 30. E. 27.

126. T. N. 17. N. R. N. 4 E. 2. W. Ind.

89.35. Ind. W. Line 14 Ws. S. of P.
 Ash 10. N. 30. E. 13.
 Elm 20. N. 20. W. 28
 L. 1st Rte., Ash, Elm, Hick, Beech, Sug.
 W. C.

North Bet. Sec. 17 & 18
 15.00. a Beech 12 in³ diam.
 40.00. Q^t. Sec. cor. in Prairie
 Elm 12. S. 44. E. 180.
 W. Oak 12. S. 56. E. 145.
 56.36. a W. Oak 18 in³ diam.
 80.00. Sib. P. cor. to Sec. 7. 8. 17 & 18.
 L. 1st Rte. } Locust 20. N. 21. W. 25.
 Sug. Buck. }
 ye. } Sugar 24. N. 68. E. 41.

East. Bet. Sec. 8. & 17. on Random.
 40.00. Temp. Q^t. Sec. Post.
 55.50. a Stream 10 Ws. South.
 81.00. Ind. E. line 46 Ws. S. of Post.

West. corrected.
 40.00. Q^t. Sec. cor. Hick. 20. S. 15. E. 25.

T. N^o. 17. N. R. N^o. 4. E. 2^d. M. Ind. 127.

Hick. 20. N. 40. E. 3.
81.00. Sec. Cor. L. 2^d. R. Oak. & c.

West. Bet Sec^s 7th-18

40.00. Q. Sec. Cor. Ash 12. N. 24. E. 12.

Hick. 10. S. 60. E. 22.
81.25. Cont. W. line 62 lks. S. of Post.

Hick. 12. N. 12. E. 24.

Birch. 6. S. 25. E. 13.

L. 1st. R. Wal. Ash. Elm & c.

128.

[illegible]

T. 27. N. R. 4 E. 2^d M. Int. 273.

Meanders of White River,
on the E. Side, beginning
on the Range line, bet. R's.
3 & 4 E. thence

Remarks

S. 67 E. 5.50.

S. 55 E. 8.50.

S. 77 E. 7.00 Point of Island.

S. 84 E. 10.50.

S. 57 E. 5.00 Head of Island.

S. 57 E. 7.50.

S. 35 E. 13.00.

N. 2 W. 7.50.

N. 17 1/4 W. 15.40 Int. line bet. Sec's 19 & 30.

N. 7 W. 3.00.

N. 9 E. 17.00.

N. 18 E. 18.00.

N. 62 E. 16.00.

N. 82 E. 12.50.

N. 68 E. 2.20 Int. Line bet. Sec's 19 & 20.

N. 62 E. 10.00.

N. 34 E. 8.00.

274

Remarks.

N. 17 E. 12.50.

N. 36 1/4 E. 3.35. Int. L. bet. 17 & 20..

N. 58 E. 6.50.

N. 42 E. 2.50.

N. 70 E. 4.00. Point of Island.

N. 80 E. 13.00.

N. 49 E. 4.00. Head of Island.

S. 22 E. 6.90. Int. line bet. Sec^s 17 & 20.

South 5.00

S. 3. E. 12.50.

S. 22. E. 3.00.

S. 50 E. 7.00.

S. 71 E. 3.50.

N. 70 E. 5.00.

N. 42 E. 6.00. 50 Ws. a Stream 5 Ws. S. E.

N. 24 E. 12.00.

N. 1 E. 5.30.

N. 18 W. 3.13 Int. line bet. Sec^s 17 & 20.

N. 15 E. 15.00.

N. 42 W. 5.20. Int. line bet. Sec^s 16 & 17.

N. 54 E. 10.00.

Remarks.

N. 65 E. 11.50.

N. 84 E. 22.00.

N. 66 E. 16.50

N. 45 E. 9.50.

N. 27 E. 5.50.

N. 4 E. 7.50.

N. 12 W. 13.50

N. 32 W. 9.50.

N. 28 1/2 W. 3.15.

High Bluffs.

a Stream 10 Ws. N. E.

Int. line bet. Sec. 9 & 16.

Meanders on W. Side
Bet. on line Bet. Sec. 9 & 16.

S. 18 E. 5.50.

S. 33 E. 8.50.

S. 18 E. 3.00.

S. 9 E. 9.00.

S. 12 W. 10.50.

S. 48 W. 6.50.

S. 66 W. 8.50.

S. 4 W. 2.50.

S. 72 W. 12.00.

276.

N. 77 W.	5.00	
S. 81 W.	12.00	
S. 62 W.	5.00	
S. 74 W.	7.50	
S. 49 W.	4.79	Int. line bet. Sec ^s 16 & 17.
S. 50 W.	7.00	
S. 31 W.	5.00	
S. 11 W.	6.00	
S. 18 W.	4.50	
S. 5 W.	5.30	Int. line bet. Sec ^s 17 & 20.
S. 2 W.	9.50	
S. 26 W.	8.50	
S. 46 W.	5.00	
S. 87 W.	4.00	
N. 38 W.	6.50	
N. 5 E.	9.00	
N. 2 E.	7.00	Int. line bet. Sec ^s 17 & 20.
N. 23 W.	9.00	
N. 57 W.	3.00	
N. 45 W.	4.00	75 Ws. a. Stream 15 Ws. North
N. 88 W.	10.00	
S. 70 W.	13.00	

State of Indiana
Marion County S.S.
Office of County Surveyor
I certify that this Volume
contains on pages one to two
hundred and seventy seven, a
true Record of the Field-Notes of
Marion County, Indiana, now on
Record in the Office of County-
Auditor of Marion County Ind.
Witness my hand and Seal
of my Office. Oliver W. Voth's
C.S. by W^m P. Smith
Deput.

60

30-1

209

4